




KEY FEATURES

RetroLine has been developed for each brand of light line system with plug & play connectors and safety clips, simple and above all fast installation. This allows a replacement up to 20 luminaires per hour!

The 1500mm module is suitable for replacing existing light line systems with T8 or T5 tubes with outputs of 2x80W / 2x70W / 2x58W / 2x49W / 1x58W and 1x49W. Due to the Osram LED Driver with adjustable mA, the light intensity can be adjusted as needed. The lumen / watt ratio (efficacy) is 150 lm/w, which guarantees high performance and efficiency.

- Long lifetime L80B10 100.000h L90B50 >54.000h
- 100% suitable for the existing trunking rail systems
- No needed to re-wiring
- Osram Driver (100.000h-Flicker free) 4 in 1: 30W (4500lm), 40W (6000lm), 50W (7500lm) and 60W (9000lm)
- Available under request: 30°/60° beam, Emergency kit, Dali and other light colour (kelvin 830,840,860)


DETAILS



OPTIONS



ACCESSORIES



SPECIFICATIONS (ACCORDING TO EN IEC 62722-2-1)

ITEM CODE	DESCRIPTION	W	LM	LM/W	KELVIN	LIFETIME L90B50	EQUIVALENT	BEAM ANGLE
4103570	RetroLine LED Module for Norton NLS-R36 60W 5000K 90D 9000lm	60	9162	>150	5000	54000	Norton NLS-R36	90°
4103880	RetroLine LED Module for Norton NLS-R36 60W 5000K 90D 9000lm EM	60	9162	>150	5000	54000	Norton NLS-R36	90°
4103710	RetroLine LED Module for Norton NLS-R36 60W 5000K 90D 9000lm QB	60	9162	>150	5000	54000	Norton NLS-R36	90°
4103020	RetroLine LED Module for Norton NLS-R58 60W 5000K 90D 9000lm	60	9162	>150	5000	54000	Norton NLS-R58	90°
4103330	RetroLine LED Module for Norton NLS-R58 60W 5000K 90D 9000lm EM	60	9162	>150	5000	54000	Norton NLS-R58	90°
4103260	RetroLine LED Module for Norton NLS-R58 60W 5000K 90D 9000lm QB	60	9162	>150	5000	54000	Norton NLS-R58	90°
1003320	RetroLine LED Module for Norton NLS-R58 60W 4000K 90D 9000lm	60	9158	>150	4000	54000	Norton NLS-R58	90°
4135630	RetroLine LED Module for Norton NLS-R58 60W 4000K 90D 9000lm	60	9158	>150	4000	54000	Norton NLS-R58	90°
4163800	RetroLine LED Module for Norton NLS-T5 60W 5000K 90D 9000lm	60	9162	>150	5000	54000	Norton NLS-T5	90°
1110720	RetroLine LED Module for Norton NLS-T5 60W 4000K 90D 9000lm	60	9158	>150	4000	54000	Norton NLS-T5	90°
6956450	RetroLine LED Module for Philips TMX204-T8 58W 5000K 90D	60	9162	>150	5000	54000	Philips TMX204-T8	90°
4102580	RetroLine LED Module for Philips TTX200-36W 60W 5000K 90D 9000lm	60	9162	>150	5000	54000	Philips TTX200-36	90°
4102890	RetroLine LED Module for Philips TTX200-36W 60W 5000K 90D 9000lm EM	60	9162	>150	5000	54000	Philips TTX200-36	90°
4102720	RetroLine LED Module for Philips TTX200-36W 60W 5000K 90D 9000lm QB	60	9162	>150	5000	54000	Philips TTX200-36	90°
1002682	RetroLine LED Module for Philips TTX200-58W 60W 4000K 90D 9000lm	60	9158	>150	4000	54000	Philips TTX200-58	90°
4102030	RetroLine LED Module for Philips TTX200-58W 60W 5000K 90D 9000lm	60	9162	>150	5000	54000	Philips TTX200-58	90°
4102340	RetroLine LED Module for Philips TTX200-58W 60W 5000K 90D 9000lm EM	60	9162	>150	5000	54000	Philips TTX200-58	90°
4102270	RetroLine LED Module for Philips TTX200-58W 60W 5000K 90D 9000lm QB	60	9162	>150	5000	54000	Philips TTX200-58	90°
4101590	RetroLine LED Module for Philips TTX400-T5 60W 5000K 90D 9000lm	60	9162	>150	5000	54000	Philips TTX400-T5	90°
4101800	RetroLine LED Module for Philips TTX400-T5 60W 5000K 90D 9000lm EM	60	9162	>150	5000	54000	Philips TTX400-T5	90°
4101730	RetroLine LED Module for Philips TTX400-T5 60W 5000K 90D 9000lm QB	60	9162	>150	5000	54000	Philips TTX400-T5	90°
4101040	RetroLine LED Module for Philips TTX400-T8 60W 5000K 90D 9000lm	60	9162	>150	5000	54000	Philips TTX400-T8	90°
4101350	RetroLine LED Module for Philips TTX400-T8 60W 5000K 90D 9000lm EM	60	9162	>150	5000	54000	Philips TTX400-T8	90°
4101280	RetroLine LED Module for Philips TTX400-T8 60W 5000K 90D 9000lm QB	60	9162	>150	5000	54000	Philips TTX400-T8	90°
1002040	RetroLine LED Module for Philips TTX400-T8 60W 4000K 90D 9000lm	60	9158	>150	4000	54000	Philips TTX400-T8	90°
4134400	RetroLine LED Module for Philips TTX400-T8 60W 4000K 90D 9000lm	60	9158	>150	4000	54000	Philips TTX400-T8	90°
4107080	RetroLine LED Module for Regiolux SDT 60W 5000K 90D 9000lm	60	9162	>150	5000	54000	Regiolux SDT	90°
4107220	RetroLine LED Module for Regiolux SDT 60W 5000K 90D 9000lm EM	60	9162	>150	5000	54000	Regiolux SDT	90°
4107150	RetroLine LED Module for Regiolux SDT 60W 5000K 90D 9000lm QB	60	9162	>150	5000	54000	Regiolux SDT	90°

PRAGMALUX

All rights reserved. Pragmalux - PDL Lighting Group B.V. retains the right to modify product specifications without any prior notice or obligation and does not assume any liability for any consequences of using this document. Subject to errors and printing errors. Luminous flux tolerance: +/- 10%. Power consumption tolerance: +/- 10%.

RETROLINE LED MODULE TRUNKING

ITEM CODE	DESCRIPTION	W	LM	LM/W	KELVIN	LIFETIME L90B50	EQUIVALENT	BEAM ANGLE
4107390	RetroLine LED Module for Regiolux SMT 60W 5000K 90D 9000lm	60	9162	>150	5000	54000	Regiolux SMT	90°
4107530	RetroLine LED Module for Regiolux SMT 60W 5000K 90D 9000lm EM	60	9162	>150	5000	54000	Regiolux SMT	90°
4107460	RetroLine LED Module for Regiolux SMT 60W 5000K 90D 9000lm QB	60	9162	>150	5000	54000	Regiolux SMT	90°
4106470	RetroLine LED Module for Ridi VLG-T5 60W 5000K 90D 9000lm	60	9162	>150	5000	54000	Ridi VLG-T5	90°
4106610	RetroLine LED Module for Ridi VLG-T5 60W 5000K 90D 9000lm EM	60	9162	>150	5000	54000	Ridi VLG-T5	90°
4106540	RetroLine LED Module for Ridi VLG-T5 60W 5000K 90D 9000lm QB	60	9162	>150	5000	54000	Ridi VLG-T5	90°
4106160	RetroLine LED Module for Ridi VLG-T8 60W 5000K 90D 9000lm	60	9162	>150	5000	54000	Ridi VLG-T8	90°
4106300	RetroLine LED Module for Ridi VLG-T8 60W 5000K 90D 9000lm EM	60	9162	>150	5000	54000	Ridi VLG-T8	90°
4106230	RetroLine LED Module for Ridi VLG-T8 60W 5000K 90D 9000lm QB	60	9162	>150	5000	54000	Ridi VLG-T8	90°
4105860	RetroLine LED Module for Ridi VLT5 60W 5000K 90D 9000lm	60	9162	>150	5000	54000	Ridi VLT5	90°
4106090	RetroLine LED Module for Ridi VLT5 60W 5000K 90D 9000lm EM	60	9162	>150	5000	54000	Ridi VLT5	90°
4105930	RetroLine LED Module for Ridi VLT5 60W 5000K 90D 9000lm QB	60	9162	>150	5000	54000	Ridi VLT5	90°
4105550	RetroLine LED Module for Ridi VLT8 60W 5000K 90D 9000lm	60	9162	>150	5000	54000	Ridi VLT8	90°
4105790	RetroLine LED Module for Ridi VLT8 60W 5000K 90D 9000lm EM	60	9162	>150	5000	54000	Ridi VLT8	90°
4105620	RetroLine LED Module for Ridi VLT8 60W 5000K 90D 9000lm QB	60	9162	>150	5000	54000	Ridi VLT8	90°
4108520	RetroLine LED Module for Siteco DUS 60W 5000K 90D 9000lm	60	9162	>150	5000	54000	Siteco DUS	90°
4108760	RetroLine LED Module for Siteco DUS 60W 5000K 90D 9000lm EM	60	9162	>150	5000	54000	Siteco DUS	90°
4108690	RetroLine LED Module for Siteco DUS 60W 5000K 90D 9000lm QB	60	9162	>150	5000	54000	Siteco DUS	90°
4108830	RetroLine LED Module for Siteco Mod 60W 5000K 90D 9000lm	60	9162	>150	5000	54000	Siteco Mod	90°
4109060	RetroLine LED Module for Siteco Mod 60W 5000K 90D 9000lm EM	60	9162	>150	5000	54000	Siteco Mod	90°
4108900	RetroLine LED Module for Siteco Mod 60W 5000K 90D 9000lm QB	60	9162	>150	5000	54000	Siteco Mod	90°
4104320	RetroLine LED Module for Trilux T5E 60W 5000K 90D 9000lm	60	9162	>150	5000	54000	Trilux T5E	90°
4104560	RetroLine LED Module for Trilux T5E 60W 5000K 90D 9000lm EM	60	9162	>150	5000	54000	Trilux T5E	90°
4104490	RetroLine LED Module for Trilux T5E 60W 5000K 90D 9000lm QB	60	9162	>150	5000	54000	Trilux T5E	90°
4104010	RetroLine LED Module for Trilux T8E 60W 5000K 90D 9000lm	60	9162	>150	5000	54000	Trilux T8E	90°
4104250	RetroLine LED Module for Trilux T8E 60W 5000K 90D 9000lm EM	60	9162	>150	5000	54000	Trilux T8E	90°
4104180	RetroLine LED Module for Trilux T8E 60W 5000K 90D 9000lm QB	60	9162	>150	5000	54000	Trilux T8E	90°
4100050	RetroLine LED Module for Veko PNR-New 60W 5000K 90D 9000lm	60	9162	>150	5000	54000	Veko PNR-New	90°
4100360	RetroLine LED Module for Veko PNR-New 60W 5000K 90D 9000lm EM	60	9162	>150	5000	54000	Veko PNR-New	90°
4100290	RetroLine LED Module for Veko PNR-New 60W 5000K 90D 9000lm QB	60	9162	>150	5000	54000	Veko PNR-New	90°
1001333	RetroLine LED Module for Veko PNR-New 60W 4000K 90D 9000lm	60	9158	>150	4000	54000	Veko PNR-New	90°
4133890	RetroLine LED Module for Veko PNR-New 60W 4000K 90D 9000lm	60	9158	>150	4000	54000	Veko PNR-New	90°
4100500	RetroLine LED Module for Veko PNR-Old 60W 5000K 90D 9000lm	60	9162	>150	5000	54000	Veko PNR-Old	90°
4100810	RetroLine LED Module for Veko PNR-Old 60W 5000K 90D 9000lm EM	60	9162	>150	5000	54000	Veko PNR-Old	90°
4100740	RetroLine LED Module for Veko PNR-Old 60W 5000K 90D 9000lm QB	60	9162	>150	5000	54000	Veko PNR-Old	90°
4134190	RetroLine LED Module for Veko PNR-Old 60W 4000K 90D 9000lm	60	9158	>150	4000	54000	Veko PNR-Old	90°
4164410	RetroLine LED Module for Zumtobel Tecton 60W 5000K 90D 9000lm	60	9162	>150	5000	54000	Zumtobel Tecton	90°
4164580	RetroLine LED Module for Zumtobel Tecton 60W 5000K 90D 9000lm QB	60	9162	>150	5000	54000	Zumtobel Tecton	90°
4104630	RetroLine LED Module for Zumtobel ZX1 60W 5000K 90D 9000lm	60	9162	>150	5000	54000	Zumtobel ZX1	90°
4104870	RetroLine LED Module for Zumtobel ZX1 60W 5000K 90D 9000lm EM	60	9162	>150	5000	54000	Zumtobel ZX1	90°
4104700	RetroLine LED Module for Zumtobel ZX1 60W 5000K 90D 9000lm QB	60	9162	>150	5000	54000	Zumtobel ZX1	90°
4105240	RetroLine LED Module for Zumtobel ZX2-T5 60W 5000K 90D 9000lm	60	9162	>150	5000	54000	Zumtobel ZX2-T5	90°
4105480	RetroLine LED Module for Zumtobel ZX2-T5 60W 5000K 90D 9000lm EM	60	9162	>150	5000	54000	Zumtobel ZX2-T5	90°
4105310	RetroLine LED Module for Zumtobel ZX2-T5 60W 5000K 90D 9000lm QB	60	9162	>150	5000	54000	Zumtobel ZX2-T5	90°
4104940	RetroLine LED Module for Zumtobel ZX2-T8 60W 5000K 90D 9000lm	60	9162	>150	5000	54000	Zumtobel ZX2-T8	90°
4105170	RetroLine LED Module for Zumtobel ZX2-T8 60W 5000K 90D 9000lm EM	60	9162	>150	5000	54000	Zumtobel ZX2-T8	90°
4105000	RetroLine LED Module for Zumtobel ZX2-T8 60W 5000K 90D 9000lm QB	60	9162	>150	5000	54000	Zumtobel ZX2-T8	90°

PRAGMALUX

All rights reserved. Pragmalux - PDL Lighting Group B.V. retains the right to modify product specifications without any prior notice or obligation and does not assume any liability for any consequences of using this document. Subject to errors and printing errors. Luminous flux tolerance: +/- 10%. Power consumption tolerance: +/- 10%.

Version: January 2022

TECHNICAL DATA

ELECTRICAL DATA	
Voltage (V)	220-240
Frequency (Hz)	50/60
Power factor (λ)	≥0.98
Operating mode	Integrated LED Driver
Electrical connection	Max 3x2,5 mm ² wire
Total harmonic distortion	≤ 20 %

TEMPERATURES & OPERATING CONDITIONS	
Ambient temperature	25°C

COLORS & MATERIALS	
Color (Housing)	White
Material (Housing)	Aluminum
Material (Reflector)	PC

ITEM CODE	DESCRIPTION	DRIVER FAILURE RATE AT 5,000H	MAX. NO. OF DRIVERS ON MCB TYPE B 10A	MAX. NO. OF DRIVERS ON MCB TYPE B 16A	MAX NO.OF DRIVERS ON MCB TYPE C 10A	MAX. NO. OF DRIVERS ON MCB TYPE C 16A
-	RetroLine LED Module for... - 30W	≤1%	24	41	38	65
-	RetroLine LED Module for... - 40W	≤1%	18	31	30	50
-	RetroLine LED Module for... - 50W	≤1%	15	26	25	42
-	RetroLine LED Module for... - 60W	≤1%	13	22	21	35

CERTIFICATES & STANDARDS	
Driver certificates	CE
Fixture certificates	CE
Ingress protection	IP40
Protection class	I
Protection class IK	02
Glow Wire Test (IEC 695-2-1)	650°C
IEC	EN IEC 62722-2-1
LM80 (TM21 /) L90B50 (hours)	>50,000

CAPABILITIES	
Dimmable	No
Type of connection	Connector
LED Module replacable	No